EXISTING FINISH TO REMAIN

EXISTING WOOD WINDOW FRAME TO REMAIN

#6 TRIM & CLIP

SEALANT & BOND BREAKER TAPE ⚠

RESECURE EXISTING WOOD AS REQUIRED ⚠

NEW SHIM

TRACO PROTECTIVE SCREEN

$2\frac{3}{8}$"

S-1863 'XX' HEAD/JAMB

EXTERIOR CONSTRUCTION SEALANT & BOND BREAKER TAPE

FIELD TRIM AS REQUIRED

## SECTION 15

$\frac{3}{4}$" UNIT DIMENSION

$2\frac{1}{2}$"± UNIT OPENING

EXTERIOR CONSTRUCTION SEALANT & BOND BREAKER TAPE

FIELD TRIM AS REQUIRED

RESECURE EXISTING WOOD AS REQUIRED ⚠

S-1863 'XX' HEAD/JAMB

$2\frac{1}{2}$"± UNIT OPENING

$1\frac{1}{2}$" UNIT DIMENSION

$\frac{3}{4}$"

TRACO PROTECTIVE SCREEN

$9\frac{1}{4}$"

## SECTION 13

REMOVE EXISTING BEADS AS REQUIRED FOR WINDOW INSTALLATION

EXISTING WOOD WINDOW FRAME TO REMAIN

EXISTING WOOD TRIM TO BE REMOVED

#6 TRIM & CLIP

BOND BREAKER TAPE & SEALANT

TRACO PROTECTIVE SCREEN

$3\frac{1}{2}$" UNIT DIMENSION

3" UNIT OPENING

S-1864 'XX' SILL PANNING

NEW SHIM BLOCKING

EXTERIOR CONSTRUCTION SEALANT & BOND BREAKER TAPE

INSTALLER NOTE: ALL VOIDS TO BE FILLED WITH BATTING INSULATION. TYPICAL

FIELD TRIM AS REQUIRED

## SECTION 14

#6 TRIM & CLIP

EXISTING WOOD TRIM TO BE REMOVED

EXISTING FINISH TO REMAIN

EXISTING WOOD TRIM TO BE REMOVED

EXISTING WOOD WINDOW FRAME TO REMAIN

SEALANT & BOND BREAKER TAPE ⚠

RESECURE EXISTING WOOD AS REQUIRED ⚠

TRACO PROTECTIVE SCREEN

$3\frac{3}{8}$"

S-1863 'XX' HEAD/JAMB

EXTERIOR CONSTRUCTION SEALANT & BOND BREAKER TAPE

FIELD TRIM AS REQUIRED

## SECTION 16

$\frac{3}{4}$" UNIT DIMENSION

$2\frac{1}{2}$"± UNIT OPENING

| REV | BY | DATE | DESCRIPTION |
|---|---|---|---|
| ⚠ | M.F. | 6-24-98 | REVISED FOR FABRICATION |

LOCKHEED WINDOW CORPORATION
P.O. BOX 166
ROUTE 100
PASCOAG, RI 02859
TEL: (401) 568-3061

ARCHITECT: GALE ASSOCIATES
DRAWN BY: M.F.
CHECKED BY:
JOB NO. P805A

PROJECT NAME: MCKAY SCHOOL
BEVERLY, MA
SCALE: FULL
DATE: 6-3-98
GENERAL CONTRACTOR: LOCKHEED WINDOW CORPORATION

DRAWING NUMBER
D4 OF D10

FILE NAME
MCKAY-DET